

Video Security



VMC-19LCD-P

19" LCD Profession. Colour Monitor, 1280 x1024Px., Comp., Y/C, RGB, 12VDC/230VAC

Art-No. 90430



Features

19" (48cm) Display Screen Size

PAL/NTSC Auto Selection

Multi Language On-screen Menu Control

Resolution: 1280x1024 Pixel (SXGA)

CVBS, S-Video, VGA and Audio Inputs

Quick Signal Switching

Integrated Loudspeakers

Supply Voltage: 12VDC/230VAC

Robust Metal Cabinet

Wall and Table Stand Mounting

ISO 13406-2 Certified (Ergonomic Standard)

Options: Table Stand/Mounting Brackets

Specifications

Video standard	PAL/NTSC (auto selection)
Display element	Colour TFT/LCD
Screen size	19" (48cm)
Scanning method	Digital progressive scan (Frame/Motion mode)
Pixel format	1280(H) x 1024(V), RGB vertical stripes, 0.294x0.294mm
Resolution	Y/C: >500TV lines; VGA: 640x480 (60 to 75Hz); SVGA: 800x600 (56 to 75Hz); XGA: 1024x768 (60 to 75Hz); SXGA: 1280x1024 (60Hz)
Pixel fault class	ISO 13406-2, Class II
Colour scales	16.7Mio (8bit)
Contrast ratio typ.	1000:1
Brightness typ.	250cd/m ²
Angle of view (L/R/B/T) typ.	89°/89°/89°/89°
Light source	4CCFL
Response time typ.	20ms (tr/ tf)
PC interface	Analog RGB (0.714Vp-p, 75ohms), H & V sync. (TTL), 15-pin D-Sub

VMC-19LCD-P

(Specifications continued)

Video inputs	CVBS: 1Vp-p, 75ohms, BNC, Y/C: Y= 0.7Vp-p, C= 0.3Vp-p, 75ohms, 4-pin MiniDIN. Loop-through inputs, automatic 75ohms termination
Audio input	2x Cinch (Stereo)
Audio output power	2x 0.5watts
External adjustments	On-screen control, ON/OFF
Menu languages	English, German, French, Spanish, Italian, Polish, Czech
Supply voltage	12VDC +/-5% (PSU 110V~240VAC included)
Power consumption	45watts
Temperature range	0°C ~ +40°C
Housing	Aluminium
Colour	Black
Dimensions (HxWxD)	362x419x54mm
Mount	VESA standard (4 threads M4, 75x75mm)
Weight	5.1kg
Parts supplied	PSU 110~240V/12VDC with power cord, 1x VGA cable, Installation diskette, Multi-language manual
Options	Table stand, Wall and ceiling brackets

Accessories

90395 / LCD-ST/P	Desktop Mount for LCD Monitor VMC-15/17/19, P Series
90426 / VMC-LCD/WMB-1	Wall Bracket for TFT/LCD Monitors, straight
90468 / VMC-LCD/WMB-4	Wall Bracket for LCD Monitors up to 23", Pan and Tilttable
90394 / VMC-LCD/WCMB-1	Wall/Ceiling Bracket for LCD Monitors 15"/17"/19" P/PT/D Series
90449 / VMC-LCD/CMB-1	Ceiling Mount Bracket, Pan and Tilttable for LCD Monitors 19" to 30"
90475 / LCD-19P-RMK	19" Kit for 19" LCD Monitor (VMC-19LCD-P)
90505 / UNO	Wall Bracket for LCD Monitors up to 23", Pan and Tilttable


Accessories of

71921 / DLR1-04N/160	Digital Video Recorder (4-Channel) 160GB HDD, Alarm In/Outputs, Ethernet
71943 / DTR-2009/250CD	Digital Video Recorder (9-Channels) 250GB HDD, CD-RW Drive, Ethernet,230VAC
71944 / DTR-2009/500CD	Digital Video Recorder (9-Channels) 500GB HDD, CD-RW Drive, Ethernet,230VAC
71945 / DTR-2009/750CD	Digital Video Recorder (9-Channels) 750GB HDD, CD-RW Drive, Ethernet,230VAC
71946 / DTR-2016/250CD	Digital Video Recorder (16-Channels) 250GB HDD, CD-RW Drive, Ethernet,230VAC
71947 / DTR-2016/500CD	Digital Video Recorder (16-Channels) 500GB HDD, CD-RW Drive, Ethernet,230VAC
71948 / DTR-2016/750CD	Digital Video Recorder (16-Channels) 750GB HDD, CD-RW Drive, Ethernet,230VAC

(Accessories of continued)

71949 / DTR-4009/250CD	Digital Video Recorder (9-Channels) 250GB HDD, CD-RW Drive, Ethernet,230VAC
71951 / DTR-4016/250CD	Digital Video Recorder (16-Channels) 250GB HDD, CD-RW Drive, Ethernet,230VAC
71952 / DTR-4016/750CD	Digital Video Recorder (16-Channels) 750GB HDD, CD-RW Drive, Ethernet,230VAC
71958 / DLR1-04N/250	Digital Video Recorder (4-Channel) 250GB HDD, Alarm In/Outputs, Ethernet
71933 / DLR2-04N/480	Digital Video Recorder (4-Channel) 480GB Hard Disk, Alarm Input, Ethernet
71932 / DLR2-04N/320	Digital Video Recorder (4-Channel) 320GB Hard Disk, Alarm Input, Ethernet
71931 / DLR2-04N/160	Digital Video Recorder (4-Channel) 160GB Hard Disk, Alarm Input, Ethernet
71965 / DTR-4009/500CD	Digital Video Recorder (9-Channels) 500GB HDD, CD-RW Drive, Ethernet,230VAC
71966 / DTR-4009/750CD	Digital Video Recorder (9-Channels) 750GB HDD, CD-RW Drive, Ethernet,230VAC
71967 / DTR-4016/500CD	Digital Video Recorder (16-Channels) 500GB HDD, CD-RW Drive, Ethernet,230VAC

19"-Einbaukit /
19" Rack mount kit



Maße/Dimensions: mm

VIDEOR TECHNICAL E. Hartig GmbH
 Carl-Zeiss-Straße 8 · 63322 Rödermark · Germany
 Telefon +49 (0) 60 74/8 88-0 · Telefax +49 (0) 60 74/8 88-100
 info@videortechnical.com · www.videortechnical.com